


**W20-H6-CF53**

Eje macizo

solid shafts, with axial and/or radial threaded holes

## Información técnica



## Variante de su producto actual

Size code	20
Tolerance diameter	H6
Material	CF53 Heat treatable steel (material no.:1.1213)

## Medidas principales y datos de rendimiento

$d_{LW}$	20 mm	Diameter Shaft
$L_{max}$	6.000 mm	Length total maximum
$\approx m$	2,47 kg/m	Peso

## Medidas de montaje

$d_{LW Tol}$	h6	Diameter Shaft
$h6 Tol$	0 $\mu m$	Diameter Shaft high
$h6 Tol$	-13 $\mu m$	Diameter Shaft low
SHD min	0,9 mm	Surface Hardness Depth
$t_1$	6 $\mu m$	Roundness
$t_2$	9 $\mu m$	Parallelism



### Medidas principales

G 2	M6/M8/M10	Axial thread (size)
G 7	M5/M6	Radial thread (size)
B 01	M6/M8/M10	Drilling pattern axial thread one side
B 02	M6/M8/M10	Drilling pattern axial thread both side
B 03	M5/M6	Drilling pattern radial thread
B 04	M5/M6 + M6/M8/ M10	Drilling pattern radial thread+axial thread one side
B 05	M5/M6 + M6/M8/ M10	Drilling pattern radial thread+axial thread both side